

Bringing Trust to the Digital World OTA CERMAK Head of sales



日本人の連絡先 emong-zheng@isec.ne.jp


Information Security Inc. 3F Seihokushin Bldg. 4-9-26 Kitanagasadori, Chuo-ku, Kobe, Hyogo, 650-0012 JAPAN https://www.isec.ne.jp/



Anti-Fraud Suite

Holistic approach to online banking security

(in billion Japanese yen)



*Amount of money lost through damages caused by online banking fraud in Japan 2013-2020 Account takeover


Phishing

Vishing

Remote access trojan


Stolen credentials...

Protection for banking digital channels






To secure the entire digital customer journey



₩EB

MOBILE

Our Approach







- Connection check (TOR, anon proxy)
- Browser and OS security check
- Malware, phishing
- Device fingerprint



Logon / AO

- GeoIP check
- Login time check
- Logon biometrics
- Velocity checks
- Action context



- Clickstream profiling
- Scripted access & automation detection
- Session hijacking
- Behavior & app interaction biometrics

LAYER 1

Early Warning Threat Detection





LAYER 2

Legitimate User Identity Validation




Detecting Account Takeover



Detecting Account Opening Fraud

To TRUST you need to know...




- Is it your device?
- Is it a secure environment?
- Is this you?
- Is this your typical payment?


Low risk during the whole journey



HOW do we do it



Holistic View Is The Key




Typical False Positives:

- Suspiciously high amount
- Suspicious time
- Suspicious place
- Suspicious target account nr.

Typical False Negatives:

- Transfer initiated as result of social engineering
- Transfer initated by malware
- Transfer initiated by BOT
- Transfer inititated via RAT

Holistic View Is The Key




Typical False Positives:

- Suspiciously high amount
- Suspicious time 🗸
- Suspicious place
- Suspicious target account nr:

Typical False Negatives:

- Transfer initiated as result of social engineering
- Transfer initated by malware
- Transfer initiated by BOT
- Transfer inititated via RAT



Main Use Cases

Online Fraud Prevention

Through cyber threats detection, identity verification and transaction risk analysis



Better detection rate than IBM Trusteer*


* Results based on independent test results from a bank

Invisible 2nd Factor Authentication

SMS Cost reduction by using Al-powered Adaptive Authentication Seamless User experience




Saved per year



^{*} Results based on independent test results from a bank

Main Use Cases for AFS



Reduction of False Positives


Save resources otherwise spent on manual investigation



Less false positives than F5 WebSafe

^{*} Results based on independent test results from a bank

Architecture



Easy Deployment in 7 Days

AFS ONLINE WEB PROBE

Implement JavaScript probe in form of simple "one liner" into protected Web Page.



AFS ANALYTICS

Setup AFS ANALYTICS infrastructure.
Optional: AFS can be deployed in your infrastructure.



INTEGRATE

Optional: Use API for full integration with any internal and/or 3rd party system.



AFS ENDPOINT MOBILE PROBE

Implement TM SDK library into your Native Mobile Application if needed



SETUP CONNECTION

Allow connection to AFS ANALYTICS infrastructure.



About ThreatMark



Founded in 2015 by former Ethical Hackers



Made in Czech Republic Active on 4 continents



25+ million clients protected



65+ Experts focused on one product



High-tech Security Company Behavioral biometrics & AI/ML



1 billion logins Scored yearly



Selected over Bigger Competitors by large international banking groups



Trusted by EU's leading banking groups

ERSTE, Raiffeisen, Sberbank











ThreatMark AFS

Trusted by Banks and Global Partners



Partnerships









Banking references
































Planned / Running PoCs








Competitive positioning




Online banking session protection - summary



Clickstream profiling Money mule blacklist GeoIP check Connection check (TOR, Big Data AI/ML anon-proxy) Scripted access and Abnormal spending Login time check Continuous User automation detection behaviour Browser and OS profiling Login biometrics security check Session hijacking Transaction Integrity Human Feedback Velocity checks Malware, phishing re-learning Behaviour and app interaction biometrics Action context **Business Rules** Device fingerprint

ThreatMark's Trusted Identity





Webpage Cloning Detection

Phishing Site Usage Detection

Phished Users Detection

Webinjects

Active RAT Detection

Malicious Applications Detections

Overlay Detection

R SMS Hijacking Detection

Webscraping (Screenscraping)

API Scraping







Device Security Profiling

どうもありがとうございました

Ota Cermak
Sales director
ota.cermak@threatmark.com

www.threatmark.com

日本人の連絡先 emong-zheng@isec.ne.jp

Information Security Inc.

3F Seihokushin Bldg. 4-9-26 Kitanagasadori,
Chuo-ku, Kobe, Hyogo, 650-0012 JAPAN

https://www.isec.ne.jp/